

Cited in Biological Abstracts; Elsevier BIOBASE/Current Awareness in Biological Sciences; Current Contents / Life Sciences; EMBASE/Excerpta Medica; Index Medicus; Informedicus; Pascal M

CONTENTS

At the Cutting Edge

Immunomodulatory actions of leptin

C.E. Juge-Aubry, C.A. Meier (Switzerland)

1

Research Papers

Advanced glycosylation end products induce NF- κ B dependent iNOS expression in RAW 264.7 cells

C.-H. Wu, C.-M. Huang, C.-H. Lin, Y.-S. Ho, C.-M. Chen, H.-M. Lee (Taiwan, ROC)

9

Novel glucocorticoid and cAMP interactions on the CRH gene promoter

B.R. King, R. Smith, R.C. Nicholson (Australia)

19

Activation of PI 3-kinase by the hexosamine biosynthesis pathway

C. Filippis, A. Filippis, S. Clark, J. Proietto (Australia)

29

Nitric oxide potently inhibits the rate-limiting enzymatic step in steroidogenesis

J.G. Drewett, R.L. Adams-Hays, B.Y. Ho, D.J. Hegge (USA)

39

Early expression of p107 is associated with 3T3-L1 adipocyte differentiation

K. Liu, Y. Guan, M.C. MacNicol, A.M. MacNicol, R.E. McGehee Jr (USA)

51

Unmasking a new recognition signal for O-linked glycosylation in the chorionic gonadotropin β subunit

V. Garcia-Campayo, T. Sugahara, I. Boime (USA, Japan)

63

APE/Ref-1 is increased in nuclear fractions of human thyroid hyperfunctioning nodules

D. Russo, M. Celano, S. Bulotta, R. Bruno, F. Arturi, P. Giannasio, S. Filetti, G. Damante, G. Tell (Italy)

71

Involvement of the protein kinase C pathway in thyrotropin-induced STAT3 activation in FRTL-5 thyroid cells

Y.J. Park, E.S. Park, M.S. Kim, T.Y. Kim, H.S. Lee, S. Lee, I.S. Jang, M. Shong, D.J. Park, B.Y. Cho (South Korea)

77

Virilization of the female spotted hyena cannot be explained by alterations in the amino acid sequence of the androgen receptor (AR)

S. Catalano, D.M. Avila, S. Marsico, J.D. Wilson, S.E. Glickman, M.J. McPhaul (Italy, USA)

85

Up-regulation of polymeric immunoglobulin receptor mRNA in mammary epithelial cells by IFN- γ

A. Rincheval-Arnold, L. Belair, A. Cencic, J. Djiane (France)

95

Peptide insertion in the DNA-binding domain of fish glucocorticoid receptor is encoded by an additional exon and confers particular functional properties

C. Lethimonier, M. Tujague, L. Kern, B. Ducouret (France)

107

cDNA cloning and expression of human activin β E subunit

O. Hashimoto, K. Tsuchida, Y. Ushiro, Y. Hosoi, N. Hoshi, H. Sugino, Y. Hasegawa (Japan)

117

Signal cross-talk between estrogen receptor alpha and beta and the peroxisome proliferator-activated receptor gamma in MDA-MB-231 and MCF-7 breast cancer cells

X. Wang, M.W. Kilgore (USA)

123

(Contents continued on inside back cover)

CONTENTS
direct

This journal is part of **ContentsDirect**, the *free* alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: www.elsevier.com/locate/contentsdirect



0303-7207(20020830)194:1-2;1-T

08040

MOLECULAR AND CELLULAR ENDOCRINOLOGY

Publication information: *Molecular and Cellular Endocrinology* (ISSN 0303-7207). For 2002, volumes 184–197 are scheduled for publication. Subscription prices are available upon request from the Publisher or from the Regional Sales Office nearest you or from this journal's website (<http://www.elsevier.nl/locate/mce>). Further information is available on this journal and other Elsevier Science products through Elsevier's website: (<http://www.elsevier.nl>). Subscriptions are accepted on a prepaid basis only and are entered on a calendar year basis. Issues are sent by standard mail (surface within Europe, air delivery outside Europe). Priority rates are available upon request. Claims for missing issues should be made within six months of the date of dispatch.

Orders, claims and product enquiries: please contact the Customer Support Department at the Regional Sales Office nearest you:

New York: Elsevier Science, P.O. Box 945, New York, NY 10159-0945, USA; Tel. (+1)212-633-3730 [Toll free number for North American customers: 1-888-4ES-INFO (437-4636)]; Fax (+1)212-633-3680; E-mail: usinfo-fl@elsevier.com

Amsterdam: Elsevier Science, P.O. Box 211, 1000 AE Amsterdam, The Netherlands; Tel. (+31)20-4853757; Fax (+31)20-4853432; E-mail: nlinfo-fl@elsevier.nl

Tokyo: Elsevier Science, 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; Tel. (+81)3-5561-5033; Fax (+81)3-5561-5047; E-mail: info@elsevier.co.jp

Singapore: Elsevier Science, No. 1 Temasek Avenue, #17-01 Millenia Tower, Singapore 039192, Tel. (+65)434-3727; Fax (+65)337-2230; E-mail: asiainfo@elsevier.com.sg

Rio de Janeiro: Elsevier Science, Rua Sete de Setembro 111/16 Andar, 20050-002 Centro, Rio de Janeiro - RJ, Brazil; Tel. (+55)21-509-5340; Fax (+55)21-507-1991; E-mail: elsevier@campus.com.br [Note (Latin America): for orders, claims and help desk information, please contact the Regional Sales Office in New York as listed above]

Advertising information. Advertising orders and enquiries can be sent to: **USA, Canada and South America:** Mr Tino de Carlo, The Advertising Department, Elsevier Science Inc., 655 Avenue of the Americas, New York, NY 10010-5107, USA; phone: (+1) (212) 633 3815; fax: (+1) (212) 633 3820; e-mail: t.decarlo@elsevier.com. **Japan:** The Advertising Department, Elsevier Science K.K., 9-15 Higashi-Azabu 1-chome, Minato-ku, Tokyo 106-0044, Japan; phone: (+81) (3) 5561 5033; fax: (+81) (3) 5561 5047. **Europe and ROW:** Rachel Leveson-Gower, The Advertising Department, Elsevier Science Ltd., The Boulevard, Langford Lane, Kidlington, Oxford OX5 1GB, UK; phone: (+44) (1865) 843565; fax: (+44) (1865) 843976; e-mail: r.leveson-gower@elsevier.co.uk

Authors in Japan please note: Upon request, Elsevier Science K.K. will provide authors with a list of people who can check and improve the English of their paper (*before submission*). Please contact our Tokyo office: Elsevier Science K.K., 1-9-15 Higashi Azabu, Minato-ku, Tokyo 106, tel. (+81)-3-5561-5032, fax (+81)-3-5561-5045.

If you need information about the journal, you can find all details (including full "Notes to Authors") on the World Wide Web: access under <http://www.elsevier.nl/locate/mce> or <http://www.elsevier.com/locate/mce>

(Contents continued from back cover)

Streptozotocin, an O-GlcNAcase inhibitor, blunts insulin and growth hormone secretion K. Liu, A.J. Paterson, R.J. Konrad, A.F. Parlow, S. Jimi, M. Roh, E. Chin Jr, J.E. Kudlow (USA, Japan)	135
Trophoblast origin of hCG isoforms: cytotrophoblasts are the primary source of choriocarcinoma-like hCG G. Kovalevskaya, O. Genbacev, S.J. Fisher, E. Caceres, J.F. O'Connor (USA)	147
Thyroid hormone regulates the expression of NeuroD/BHFI during the development of rat cerebellum F. Chantoux, J. Francon (France)	157
Expression of chromogranin A and somatostatin receptors in pancreatic AR42J cells E. Hofslí, L. Thommesen, K. Nørsett, S. Falkmer, U. Syversen, A.K. Sandvik, A. Lægreid (Norway)	165
Spiroglactone increases integrin $\beta 3$ gene expression in kidney and heart muscle cells T.-Y. Chun, L. Bloem, J.H. Pratt (USA)	175
Renal action of progesterone: effect on calcium reabsorption M.G. Brunette, M. Leclerc (Canada)	183
Role of apoptosis, apoptosis-related factors and 17β -hydroxysteroid dehydrogenases in human corpus luteum regression T.E. Vaskivuo, U. Ottander, O. Oduwale, V. Isomaa, P. Vihko, J.I. Olofsson, J.S. Tapanainen (Finland, Sweden)	191
Characterisation of a thymic renin-angiotensin system in the transgenic <i>m(Ren-2)</i> 27 rat J.L. Wilkinson-Berka, D.J. Kelly, P. Rong, D.J. Campbell, S.L. Skinner (Australia)	201
Rapid paper Constitutive activation of the LH receptor is associated with an alteration in the conformation of the ectodomain J. Jaquette, D.L. Segaloff (USA)	211

